

Chastang Ford 6200 N. Loop East, Houston, Texas, 770261936 Office: 713-678-5000 Fax: 713-678-5001

Customer Proposal

Prepared by:

Ed Miller Office: 713-678-5007 Email: emiller@chastangford.com

Date: 02/28/2017

Vehicle: 2017 Transit-250 Base High Roof Cargo Van 148" WB

Quote ID: upar17r2x2



Selected Options

Code	Description	MSRP
Base Vehicle		
R2X	Base Vehicle Price (R2X)	\$36,740.00
Packages		
101A	Order Code 101A	N/C
	Includes: - Engine: 3.7L Ti-VCT V6 Includes SEIC capability Transmission: 6-Speed Automatic w/OD & SelectShift - 4.10 Axle Ratio - GVWR: 9,000 lbs - Tires: 235/65R16C AS BSW - Wheels: 16" Steel w/Black Hubcaps - Dual Bucket Seats Includes 2-way manual (fore/aft/recline) driver and front-passenger Does NOT include heated seats Driver & Front Passenger-Side Front Airbags - Safety Canopy Side-Curtain Airbags - Vinyl Front Bucket Seats	r seats and driver-side armrest.
Powertrain		
99M	Engine: 3.7L Ti-VCT V6	Included
	Includes SEIC capability.	
446	Transmission: 6-Speed Automatic w/OD & SelectShift	Included
X41	4.10 Axle Ratio	Included
STDGV	GVWR: 9,000 lbs	Included
Wheels & Tires		
STDTR	Tires: 235/65R16C AS BSW	Included
STDWL	Wheels: 16" Steel w/Black Hubcaps	Included
Seats & Seat Trim		
21G	Dual Bucket Seats	Included
	Includes 2-way manual (fore/aft/recline) driver and front-passenger s Does NOT include heated seats. Includes: - Driver & Front Passenger-Side Front Airbags - Safety Canopy Side-Curtain Airbags	seats and driver-side armrest.
V	Vinyl Front Bucket Seats	Included
Other Options		
PAINT	Monotone Paint Application	STD
148WB	148" Wheelbase	STD

Selected Options (cont'd)

Code	Description	MSRP
63C	Heavy-Duty Alternator	\$260.00
	250 amp.	
63E	Dual Heavy-Duty Batteries	\$295.00
	70 amp-hours each. Includes absorbed glass mat.	
53K	Modified Vehicle Wiring System	Included
	Includes modified vehicle connections for customized wiring harness pro	ovisions.
67C	High Capacity Upfitter Switches	\$85.00
59B	Tow/Haul Mode w/Trailering Wiring Provisions	Included
	Includes trailer wiring harness to rear of vehicle for upfit, trailer stability of connector assembly and rear jumper.	control (TSC), 4/7 pin
67D	Trailer Brake Controller	\$230.00
60C	Cruise Control w/Message Center	\$325.00
	Includes full trip computer and engine-hour meter.	
87E	Auxiliary Fuse Panel	\$65.00
	Includes high spec interface connector. Includes: - Modified Vehicle Wiring System Includes modified vehicle connections for customized wiring harness p	provisions.
58V	Radio: AM/FM Single-CD Stereo	\$210.00
	Includes audio input jack and 4" multi-function display. Includes: - 4 Front Speakers No rear speakers.	
53B	Heavy-Duty Trailer Tow Package	\$485.00
	Includes 4-pin/7-pin connector, electric brake controller tap-in capability backup/B+/running lights. Includes: - Tow/Haul Mode w/Trailering Wiring Provisions Includes trailer wiring harness to rear of vehicle for upfit, trailer stability connector assembly and rear jumper Frame Mounted Hitch Receiver	, ,
Emissions		
425	50-State Emissions System	STD
Interior Colors		
VK_01	Pewter	N/C
Primary Colors		
YZ_01	Oxford White	N/C
Upfit Options		
fee	HGAC Fee	\$1,000.00



Selected Options (cont'd)

Code	Description	MSRP
SUBTOTAL		\$39,695.00
Destination Charge		\$1,195.00
TOTAL		\$40,890.00



Pricing - Single Vehicle

			MSRP
Vehicle Pricing			\$40,890.00
Pre-Tax Adjustments			
Code	Description		
O1 flt	DISCOUNT AND CONCESSION		-\$7,272.00
Total			\$33,618.00
Customer Signature		Acceptance Date	

Selected Equipment & Specs

Dimensions

* Exterior length: 237.6"
* Exterior height: 110.1"
* Front track: 68.2"
* Front legroom: 39.7"
* Front hiproom: 67.5"

Cargo volume: 404.3cu.ft.

Powertrain

 270hp 3.7L DOHC 24 valve V-6 engine with Ti-VCT variable valve control, SMPI

- * ULEV II
- Rear-wheel drive
- * Fuel Economy Highway: N/A

Suspension/Handling

- Front independent strut suspension with anti-roll bar, HD shocks
- Hydraulic power-assist rack-pinion Steering
- * LT235/65SR16 CBSW AS front and rear tires

Body Exterior

- 3 doors
- Driver and passenger power remote folding door mirrors
- Black bumpers
- Trailer harness
- * Front and rear 16 x 7 wheels

Convenience

- * Manual air conditioning
- Power front windows
- Remote power door locks with 2 stage unlock and illuminated entry
- Manual telescopic steering wheel
- Front cupholders
- * Full overhead console

Seats and Trim

- Seating capacity of 2
- * 4-way driver seat adjustment
- * Driver armrest

Entertainment Features

- * AM/FM stereo radio
- MP3 decoder
- * 10 speakers

- * Exterior width: 81.3"* Wheelbase: 148.0"* Rear track: 68.6"
- * Front headroom: 56.6"* Front shoulder room: 67.9"
- * Maximum cargo volume: 404.3cu.ft.
- * Recommended fuel: regular unleaded
- * 6 speed automatic transmission with overdrive
- * Fuel Economy Cty: N/A
- * Capless fuel filler
- Rear rigid axle leaf spring suspension with HD shocks
- * Front and rear 16 x 7 silver steel wheels
- * Sliding right rear passenger
- Black door mirrors
- Class III trailer hitch with with brake controller and trailer sway control
- Clearcoat paint
- * Cruise control with steering wheel controls
- * Driver 1-touch down
- * Manual tilt steering wheel
- * 1 1st row LCD monitor
- * Dual visor mirrors
- Driver and passenger door bins
- * Front bucket seats
- * 4-way passenger seat adjustment
- * Metal-look instrument panel insert
- * Single CD player
- * Auxiliary audio input
- * Fixed antenna

Lighting, Visibility and Instrumentation

- Halogen aero-composite headlights
- Light tinted windows
- **Tachometer**
- Low tire pressure warning
- Trip odometer

- Variable intermittent front windshield wipers
- Front reading lights
- Camera(s) rear
- Trip computer

Safety and Security

- 4-wheel ABS brakes
- 4-wheel disc brakes
- ABS and driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- Power remote door locks with 2 stage unlock and panic alarm
- Brake assist with hill hold control
- AdvanceTrac w/Roll Stability Control electronic stability
- Dual front impact airbag supplemental restraint system with passenger cancel
- Airbag supplemental restraint system occupancy
- Manually adjustable front head restraints

Dimensions

General	V	Vei	gl	hts

- ·	50.40 H		2222 !!
Curb		GVWR	
Front GAWR		Rear GAWR	
Payload		Front curb weight	2991 IDS.
Rear curb weight		Front axle capacity	
Rear axle capacity		Front spring rating	
Rear spring rating		Front tire/wheel capacity	
Rear tire/wheel capacity			
Trailering Type			
Type	Regular	Harness	Yes
Class	III	Hitch	Yes
Brake controller	Yes	Trailer sway control	Yes
General Trailering			
Towing capacity	6200 lbs.	GCWR	12000 lbs.
Fuel Tank type			
Capacity	25 gal.	Capless fuel filler	Yes
Off Road	<u> </u>	·	
	29 "		
Load floor height			
Interior cargo			
Cargo volume	404.3 cu.ft.	Maximum cargo volume	404.3 cu.ft.
Height		Length	
Minimum width	54.8 "	Maximum width	70.2 "
owertrain			
Fnaine Type			

Po

Engine Type

rigino rypo			
Block material	Aluminum	Cylinders	V-6
Head material	Aluminum	Ignition	Electronic
Injection	Sequential MPI		3.7L
Orientation	Longitudinal	Recommended fuel	Regular unleaded
Valves per cylinder		Valvetrain	DOHC
Variable valve control			

Engine Spee	
Engine Spec Bore 3.76"	Compression ratio 10.5:1
Displacement 228 cu.in.	Stroke 3.45"
Engine Power	
SAEJ1349 AUG2004 compliant Yes	Output 270 HP @ 6,500 RPM
Torque 250 ftlb @ 4,000 RPM	- ,
Alternator	
Type HD	Amps
Battery	
Amp hours	Run down protection Yes
TypeDual	
Engine Extras	
Oil cooler Yes	
Transmission	
Electronic control Yes	Lock-up Yes
Overdrive Yes Type Automatic	Speed 6
Transmission Gear Ratios	
1st	2nd 2.34
3rd	4th 1.14
5th	6th 0.69
Reverse Gear ratios 3.4	
Transmission Torque Converter	
Stall ratio 2.00	
Transmission Extras	0.10.10.10
Driver selectable mode Yes Oil cooler Regular duty	Sequential shift control SelectShift
-	
Drive Type Type Rear-wheel	
Drive Feature	
Traction control ABS and driveline	
Drive Axle	
Ratio 4.1	
Exhaust	
Material Stainless steel	System type Single
Emissions	System type
CARB ULEV II	EPA Tier 2 Bin 5
fuel Economy	2177
Fuel type Gasoline	
Acceleration	
0-60 mph (s) 8.26	
0 30 mpm (0)	

	,
1/4 Mile Seconds 16.4	Speed 87 mph
Skid Pad	
Lateral acceleration (g) 0.7	
Slalom	
Speed 52 mph	
Driveability	
Brakes	
ABS 4-wheel Type 4-wheel disc	ABS channels 4 Vented discs Front
Brake Assistance	
Brake assist Yes	Hill hold control Yes
Suspension Control	
Ride Regular	Electronic stability Stability control with anti-roll
Front Suspension	
Independence Independent Anti-roll bar Regular	Type Strut
Front Spring	
Type Coil	Grade Regular
Front Shocks	
Type HD	
Rear Suspension	
Independence Rigid axle	Type Leaf
Rear Spring	
TypeLeaf	Grade Regular
Rear Shocks	
Type HD	
Steering	
Activation Hydraulic power-assist	Type Rack-pinion
Steering Specs	
# of wheels 2	
Exterior	
Front Wheels	
Diameter	Width
Rear Wheels	
Diameter 16"	Width 7.00"
Spare Wheels	
Wheel material Steel	

Front and Rear Wheels Appearance Silver Covers Hub	Material Steel
Front Tires	
Aspect 65 Sidewalls BSW Tread AS Width 235mm RPM 720	Diameter16"SpeedSTypeLTLT load ratingC
Rear Tires	
Aspect 65 Sidewalls BSW Tread AS Width 235mm RPM 720	Diameter16"SpeedSTypeLTLT load ratingC
Spare Tire	
Mount Underbody w/crankdown	Type Full-size
Wheels	
Front track 68.2" Wheelbase 148.0"	Rear track 68.6"
Body Features Body material Fully galvanized steel	Side impact beams Yes
Body Doors	
Door count 3 Rear cargo Split swing-out	Right rear passenger Sliding
Exterior Dimensions	
Length237.6"Body height110.1"Rear door opening width61.7"	Body width 81.3" Rear door opening height 74.3"
Safety	
Airbags	
Driver front-impact Yes Occupancy sensor Yes Passenger side-impact Seat mounted	Driver side-impact Seat mounted Passenger front-impact Cancellable
Seatbelt	
Height adjustable Front Pre-tensioners (#)	Pre-tensioners Front
Security	
Panic alarm Yes	
Seating	
Passenger Capacity	
Capacity	



Frank 0 a a (a	
Front Seats Split Buckets	Type Bucket
Driver Seat	
Fore/aft Manual Way direction control 4	Reclining Manual
Passenger seat	
Fore/aft Manual Way direction control 4	Reclining Manual
Front Head Restraint	
Control Manual	Type Adjustable
Front Armrest	
Driver Yes	
Front Seat Trim	
Material Vinyl	Back material Vinyl
Convenience	
AC And Heat Type Air conditioning Manual	
_	
Audio System CD Single	CD location In-dash
MP3 decoder MP3 decoder	Auxiliary audio input Yes
Radio AM/FM stereo	Radio grade Regular
Seek-scan Yes	
Audio Speakers	
Speaker type Regular	Speakers 10
Audio Antenna	
Type Fixed	
LCD Monitors	
1st row	Primary monitor size (inches) 4
Cruise Control	
Cruise control With steering wheel controls	
Convenience Features	
Driver foot rest Yes	12V DC power outlet
Door Lock Activation	
Type Power with 2 stage unlock Integrated key/remote Yes	Remote Keyfob (all doors) Auto locking Yes
Door Lock Type	
Tailgate/rear door lock Included with power door locks	
Instrumentation Type	
Display Analog	



Instrumentation Gauges Tachometer Ye Engine hour meter Ye	
Instrumentation Warnings	
Oil pressure Ye Battery Ye Key Ye Door ajar Ye Service interval Low tire pressure	es Lights on Yes es Low fuel Yes es Trunk/liftgate ajar Yes es Brake fluid Yes
Instrumentation Displays	
Clock In-radio displa Camera(s) - rear Ye	
Instrumentation Feature	
Trip computer Ye	S Trip odometer Yes
Steering Wheel Type Material Urethan Telescoping Manu	
Front Side Windows Window 1st row activation Power	er
Window Features	
1-touch down Drive	er Tinted Light
Front Windshield Wiper Variable intermitted	nt
nterior	
Driver Visor	
Mirror Ye	es
Passenger Visor Mirror Ye	es
Headliner	
Coverage Fro	nt Material Cloth
Floor Trim Coverage From	nt Covering Vinyl/rubber
Trim Feature	,
Instrument panel insert Metal-loc	ok Gear shift knob Urethane
Lighting Dome light type Factor	le Front reading Yes
Illuminated entry Ye	S Variable IP lighting Yes
Floor Console Storage Storage Ye	es Type Partial

Overhead Console Storage			
Storage	Yes	Type	Full
Storage			
Driver door bin Glove box Instrument panel	Yes	Front Beverage holder(s) Passenger door bin	
Cargo Space Feature			
Tie downs	Yes	Light	Yes
Legroom			
Front	39.7"		
Headroom			
Front	56.6"		
Hip Room			
Front	67.5"		
Shoulder Room			
Front	67.9"		



Warranty - Selected Equipment & Specs

Warranty

Basic Distance	36000 miles	Months	36 months
Powertrain Distance	60000 miles	Months	60 months
Corrosion Perforation Distance	Unlimited miles	Months	60 months
Roadside Assistance Distance	60000 miles	Months	60 months