Floyd L. Jackson Equipment Services City of University Park Fleet Manager

Gerry Bradley,

Attached please find the requisition and VPS to purchase a 2018 Ford F350 XL, 4 x 2 Super Duty Crew Cab, 8' Box 176' crew cab pick up truck, with a Tommy Lift Gate. This unit will replace unit 6564, a 2003 Chevrolet C2500 pickup with a liftgate. This unit is currently assigned to the Parks department.

Please see the attached quote and specifications. Please sign the attached VPR if you agree with this purchase as specified.

Respectfully,

Floyd L. Jackson

Equipment Services
City of University Park

May Machin

Fleet Manager



Chastang Ford 6200 N. Loop East, Houston, Texas, 770261936 Office: 713-678-5000 Fax: 713-678-5001

Customer Proposal

Prepared by:

Ed Miller Office: 713-678-5007 Email: emiller@chastangford.com

Date: 11/02/2017

Vehicle: 2018 F-350 XL

4x2 SD Crew Cab 8' box 176" WB SRW

Quote ID: upar18jc02



Selected Options

Code	Description	MSRP
Base Vehicle		
W3A	Base Vehicle Price (W3A)	\$37,860.00
Packages		
610A	Order Code 610A	N/C
	Includes: - Engine: 6.2L. 2-Valve SOHC EFI NA V8 Flex-Fuel Flex-Fuel badge on fleet orders only Transmission: TorqShift 6-Speed Automatic (6R140) Includes SelectShift 3.73 Axle Ratio - GVWR: 10,500 lb Payload Package - Tires: LT245/75Rx17E BSW A/S (4) - Wheels: 17" Argent Painted Steel Includes painted hub covers/center ornaments HD Vinyl 40/20/40 Split Bench Seat Includes center armrest, cupholder, storage and driver's side manual lumbar Radio: AM/FM Stereo Includes digital clock and 6-speakers.	
Powertrain		
996	Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel	Included
	Flex-Fuel badge on fleet orders only.	
44P	Transmission: TorqShift 6-Speed Automatic (6R140) Includes SelectShift.	Included
X37	3.73 Axle Ratio	Included
STDGV	GVWR: 10,500 lb Payload Package	Included
Wheels & Tires		
TD8	Tires: LT245/75Rx17E BSW A/S (4)	Included
64A	Wheels: 17" Argent Painted Steel Includes painted hub covers/center ornaments.	Included
Seats & Seat Trim		
Α	HD Vinyl 40/20/40 Split Bench Seat Includes center armrest. cupholder, storage and driver's side manual lumbar.	Included
Other Options		
176WB	176" Wheelbase	STD
86M	Medium Duty Battery - Dual 78 AH	\$210.00

XL(W3A) Price Level: 815 Quote ID: upar18jc02

Selected Options (cont'd)

Fax: 713-678-5001

Code	Description	MSRP
67E	Extra Extra Heavy-Duty Alternator (240 Amp)	\$85.00
66L	LED Box Lighting	\$60.00
	Includes LED Center High-Mounted Stop Lamp (CHMSL).	
52B	Trailer Brake Controller	\$270.00
	Verified to be compatible with select electric over hydraulic brakes. connector.	Includes smart trailer tow
18B	Platform Running Boards	\$445.00
85S	Tough Bed Spray-In Bedliner	\$540.00
	Includes tailgate-guard, black box bed tie-down hooks and black be	d attachment bolts.
PAINT	Monotone Paint Application	STD
66S	Upfitter Switches (6)	\$165.00
	REQUIRES Extra Extra Heavy-Duty Alternator (67E) w 110V/400W Outlet (43C) and Snow Plow Pkg. (473) or Pkg. (47B).	rhen ordered with Snow Plow/Camper
	Located in overhead console.	
587	Radio: AM/FM Stereo	Included
	Includes digital clock and 6-speakers.	
61L	Front Wheel Well Liners	\$180.00
76C	Exterior Backup Alarm (Pre-Installed)	\$140.00
	Custom accessory.	
Emissions		
425	50-State Emissions System	STD
Interior Colors		
AS_04	Medium Earth Gray	N/C
Primary Colors		
Z1_01	Oxford White	N/C
Upfit Options		
Tommy	1500# Tommy Lift Gate	\$2,496.00
SUBTOTAL		\$42,451.00
Destination Charge		\$1,295.00
		+ .,00

Selected Options (cont'd)

Code	Description	MSRP
TOTAL		\$43,746.00

2018 F-350, SD Crew Cab 4x2 SD Crew Cab 8' box 176" WB SRW XL(W3A)

Price Level: 815 Quote ID: upar18jc02

Selected Equipment & Specs

Dimensions

* Exterior length: 266.2"* Exterior width: 80.0"* Wheelbase: 176.0"

Rear track: 67.2"

Min ground clearance: 8.5"

* Rear legroom: 43.6"* Rear headroom: 40.4"

* Rear hiproom: 64.7"

* Rear shoulder room: 65.9"* Approach angle: 17.9 deg

* Cargo volume: 52.1cu.ft.

* Box length: 98.1"

* Cab to axle: 56.1"

* Exterior height: 78.0"

* Front track: 68.3"

* Turning radius: 29.8'

* Front legroom: 43.9"

* Front headroom: 40.8"

* Front hiproom: 62.5"

* Front shoulder room: 66.7"

* Passenger volume: 131.7cu.ft.

* Departure angle: 17.6 deg

* Maximum cargo volume: 52.1cu.ft.

Powertrain

 385hp 6.2L SOHC 16 valve V-8 engine with variable valve control, SMPI

- * federal
- * Rear-wheel drive
- * Fuel Economy Highway: N/A

- * Recommended fuel : regular unleaded
- TorqShift 6 speed automatic transmission with overdrive
- * Fuel Economy Cty: N/A

Suspension/Handling

- Front Twin I-Beam independent suspension with antiroll bar, HD shocks
- Firm ride Suspension
- * Front and rear 17 x 7.5 argent steel wheels
- Rear rigid axle leaf spring suspension with HD shocks
- * Hydraulic power-assist re-circulating ball Steering
- * LT245/75SR17 EBSW AS front and rear tires

Body Exterior

- * 4 doors
- * Conventional right rear passenger
- * Black door mirrors
- Running boards
- * Bed-rail protectors
- * Box style: regular
- * Front and rear 17 x 7.5 wheels

- * Conventional left rear passenger
- * Driver and passenger folding door mirrors
- * Black bumpers
- Class V trailer hitch with with brake controller and trailer sway control
- Trailer harness
- * Clearcoat paint

Convenience

- * Manual air conditioning with air filter
- * Manual door locks
- * Manual telescopic steering wheel
- * 1 1st row LCD monitor
- * Passenger visor mirror

- * Manual windows
- Manual tilt steering wheel
- * Day-night rearview mirror
- * Front cupholders
- * Full overhead console

Seats and Trim

- Seating capacity of 6
- 4-way driver seat adjustment
- * 4-way passenger seat adjustment
- * 60-40 folding rear split-bench seat

- * Front 40-20-40 split-bench seat
- * Manual driver lumbar support
- * Centre front armrest with storage

Selected Equipment & Specs (cont'd)

Entertainment Features

* AM/FM stereo radio

Fixed antenna

* 6 speakers

Lighting, Visibility and Instrumentation

- * Halogen aero-composite headlights
- * Fully automatic headlights
- Light tinted windows
- * Tachometer
- Outside temperature display
- * Low tire pressure warning
- Trip odometer

- * Delay-off headlights
- * Variable intermittent front windshield wipers
- * Front and rear reading lights
- * Oil pressure gauge
- * Camera(s) rear
- * Trip computer

Safety and Security

- * 4-wheel ABS brakes
- 4-wheel disc brakes
- ABS and driveline traction control
- Dual seat mounted side impact airbag supplemental restraint system
- Manual door locks
- MyKey restricted driving mode
- * 3 manually adjustable rear head restraints

- * Brake assist with hill hold control
- Electronic stability control
- Dual front impact airbag supplemental restraint system
- Šafety Canopy System curtain 1st and 2nd row overhead airbag supplemental restraint system
- * SecuriLock immobilizer
- * Manually adjustable front head restraints

Dimensions

General Weights			
Curb Front GAWR Payload Rear curb weight Rear axle capacity Rear spring rating Rear tire/wheel capacity	6582 lbs. 4700 lbs. 3910 lbs. 2829 lbs. 7280 lbs. 6340 lbs. 6390 lbs.	GVWR Rear GAWR Front curb weight Front axle capacity Front spring rating Front tire/wheel capacity	10500 lbs. 6340 lbs. 3753 lbs. 5250 lbs. 4700 lbs. 6390 lbs.
Trailering Type			
Type Class Brake controller	Regular V Yes	Harness Hitch Trailer sway control	Yes Yes Yes
General Trailering			
5th-wheel towing capacity GCWR	12400 lbs. 19500 lbs.	Towing capacity	12500 lbs.
Fuel Tank type			
Capacity	48 gal.		
Off Road			
Approach angle Ramp breakover angle Load floor height	18 deg 17 deg 35 "	Departure angle Min ground clearance	18 deg 8 "

Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

| Prices and content availability as shown are subject to change and should be treated as estimates only. Actual base vehicle, package and option pricing may vary from this estimate because of special local pricing, availability or pricing adjustments not reflected in the dealer's computer system. See salesperson for the most current information.

Prepared by: Ed Miller Date: 11/02/2017



Selected Equipment & Specs (cont'd)

Exterior cargo Length Volume Maximum width	98.1 " 78.5 cu.ft. 66.9 "	Minimum width Pickup box depth Tailgate width	50.5 " 21.1 " 60.5 "
Interior cargo Cargo volume	52.1 cu.ft.	Maximum cargo volume	52.1 cu.ft.
Powertrain			
Engine Type Block material Head material Injection Orientation Valves per cylinder Variable valve control	Iron Aluminum Sequential MPI Longitudinal 2 Yes	Cylinders Ignition Liters Recommended fuel Valvetrain	V-8 Electronic 6.2L Regular unleaded SOHC
Engine Spec Bore Displacement	4.02" 379 cu.in.	Compression ratio Stroke	9.8:1 3.74"
Engine Power SAEJ1349 AUG2004 comp Torque 4	oliant Yes 30 ftlb @ 3,800 RPM	Output	385 HP @ 5,750 RPM
Alternator	110		040
Туре	HD	Amps	240
Battery Amp hours Run down protection	78 Yes	Cold cranking amps Type	750 Dual
Transmission			
Electronic control Overdrive Type	Yes Yes Automatic	Lock-up Speed	Yes 6
Transmission Gear Ratio	S		
1st 3rd 5th Reverse Gear ratios	3.974 1.516 0.858 3.128	2nd 4th 6th	2.318 1.149 0.674
Transmission Torque Cor Stall ratio	nverter 1.90		
Transmission Extras Driver selectable mode Oil cooler	Yes Regular duty	Sequential shift control	SelectShift
<i>Drive Type</i> Type	Rear-wheel		

2018 F-350, SD Crew Cab 4x2 SD Crew Cab 8' box 176" WB SRW XL(W3A)

Price Level: 815 Quote ID: upar18jc02

Selected Equipment & Specs (cont'd)

Drive Feature

Traction control ABS and driveline

Drive Axle

Ratio 3.73

Exhaust

Material Stainless steel System type Single

Emissions

CARB Federal Tier 2 Bin 8 **EPA**

fuel Economy

Fuel type Gasoline

Fuel Economy (Alternate 1)

Fuel type E85

Acceleration

0-60 mph (s) 7.37

1/4 Mile

Seconds 15.7 Speed 91 mph

Skid Pad

0.6 Lateral acceleration (g)

Slalom

Speed 50 mph

Driveability

Brakes

ABS 4-wheel ABS channels 4-wheel disc Front and rear Type Vented discs

Brake Assistance

Brake assist Yes Yes Hill hold control

Suspension Control

Ride Firm Stability control with Electronic stability control

anti-roll

Front Suspension

Twin I-Beam independent Independence Regular Anti-roll bar

Front Spring

Coil Regular Type Grade

Front Shocks

HD Type

Rear Suspension

Rigid axle Independence Leaf Type

Rear Spring

Selected Equipment & Specs (cont'd)

Туре	Leaf	Grade	HD
Rear Shocks Type	HD		
Steering Activation	Hydraulic power-assist	Туре	Re-circulating ball
Steering Specs # of wheels	2		
Exterior			
Front Wheels Diameter	17"	Width	7.50"
Rear Wheels . Diameter	17"	Width	7.50"
Spare Wheels Wheel material	Steel		
Front and Rear Whe	els		
Appearance Covers	Argent Hub	Material	Steel
Front Tires			
Aspect Sidewalls Tread Width RPM	75 BSW AS 245mm 645	Diameter Speed Type LT load rating	17" S LT E
Rear Tires			
Aspect Sidewalls Tread Width RPM	75 BSW AS 245mm 645	Diameter Speed Type LT load rating	17" S LT E
Spare Tire Mount	Underbody w/crankdown	Turno	Full-size
Wheels	Onderbody w/crankdown	Туре	ruii-size
Front track Turning radius	68.3" 29.8'	Rear track Wheelbase	67.2" 176.0"
Body Features			
Front license plate bra Body material	acket Yes Aluminum	Running boards Side impact beams	Yes Yes
Body Doors Door count Right rear passenger	4 Conventional	Left rear passenger Rear cargo	Conventional Tailgate
Pickup			

Selected Equipment & Specs (cont'd)

Bed liner Bed-rail protectors	Spray-in Yes	Box style	Regular
Exterior Dimensions			
Length Body height Frame section modulus Front bumper to Front axle	266.2" 78.0" 10.7cu.in. 38.2"	Body width Cab to axle Frame yield strength (psi) Front bumper to back of cab	80.0" 56.1" 50000.0 151.8"
Safety			
Airbags			
Driver front-impact Overhead Safety Canop and 2nd row	Yes y System curtain 1st	Driver side-impact Passenger front-impact	Seat mounted Yes
Passenger side-impact	Seat mounted		
Seatbelt			
Rear centre 3 point	Yes	Height adjustable	Front
Security Immobilizer	SecuriLock	Restricted driving mode	MyKey
Seating			
Passenger Capacity Capacity	6		
Front Seats			
Split	40-20-40	Туре	Split-bench
Driver Seat			•
Fore/aft Way direction control	Manual 4	Reclining Lumbar support	Manual Manual
Passenger seat			
Fore/aft Way direction control	Manual 4	Reclining	Manual
Front Head Restraint			
Control	Manual	Туре	Adjustable
Front Armrest			
Centre	Yes	Storage	Yes
Rear Seats			_
Descriptor Folding	Split-bench 60-40	Facing Folding position	Front Fold-up cushion
Type	Fixed	rolating position	r old-up custilott
Rear Head Restraints			
Control Number	Manual 3	Туре	Adjustable
Front Seat Trim			
Material	Vinyl	Back material	Vinyl

Chastang Ford 6200 N. Loop East, Houston, Texas, 770261936 Office: 713-678-5000

XL(W3A)
Price Level: 815 Quote ID: upar18jc02

Selected Equipment & Specs (cont'd)

Fax: 713-678-5001

Rear Seat Trim Group Material	Vinyl	Back material	Carpet
Convenience			
AC And Heat Type Air conditioning Underseat ducts	Manual Yes	Air filter	Yes
Audio System Radio Seek-scan	AM/FM stereo Yes	Radio grade	Regular
Audio Speakers Speaker type	Regular	Speakers	6
Audio Antenna Type	Fixed		
LCD Monitors 1st row	1	Primary monitor size (inches)	2.3
Convenience Features 12V DC power outlet	2	Back-up alarm	Yes
Door Lock Activation Type	Manual		
Door Lock Type Tailgate/rear door lock	Manual		
Instrumentation Type Display	Analog		
Instrumentation Gauges Tachometer Engine temperature Engine hour meter	Yes Yes Yes	Oil pressure Transmission fluid temp	Yes Yes
Instrumentation Warnings Oil pressure Battery Key Door ajar Brake fluid	Yes Yes Yes Yes Yes	Engine temperature Lights on Low fuel Service interval Low tire pressure	Yes Yes Yes Yes Tire specific
Instrumentation Displays Clock Systems monitor	In-radio display Yes	Exterior temp Camera(s) - rear	Yes Yes
Instrumentation Feature Trip computer	Yes	Trip odometer	Yes
Steering Wheel Type Material	Urethane	Tilting	Manual

(Ford)

Selected Equipment & Specs (cont'd)

Fax: 713-678-5001

Telescoping	Manual		
Front Side Windows			
Window 1st row activation	Manual		
Windows Rear Side 2nd row activation	Manual		
Window Features Tinted	Light		
Front Windshield Wiper	Variable intermittent		
Rear Windshield Window	Fixed		
Interior			
Passenger Visor Mirror	Yes		
Rear View Mirror			
Day-night	Yes		
Headliner	E. II		Ola Ma
Coverage	Full	Material	Cloth
Floor Trim Coverage	Full	Covering	Vinyl/rubber
Trim Feature			
Gear shift knob	Urethane	Interior accents	Chrome
Lighting Dome light type Rear reading	Fade Yes	Front reading Variable IP lighting	Yes Yes
Overhead Console Storag			
Storage	Yes	Туре	Full
Storage Front Beverage holder(s) Illuminated Dashboard	Yes Yes Covered	Glove box Instrument panel	Locking Bin
Legroom Front	43.9"	Rear	43.6"
Headroom Front	40.8"	Rear	40.4"
Hip Room Front	62.5"	Rear	64.7"
Shoulder Room Front	66.7"	Rear	65.9"

Chastang Ford 6200 N. Loop East, Houston, Texas, 770261936 Office: 713-678-5000 Fax: 713-678-5001

2018 F-350, SD Crew Cab 4x2 SD Crew Cab 8' box 176" WB SRW XL(W3A) Price Level: 815 Quote ID: upar18jc02

Selected Equipment & Specs (cont'd)

Interior Volume Passenger volume

131.7 cu.ft.

Warranty - Selected Equipment & Specs

Warranty

Basic

Distance 36000 miles Months 36 months

Powertrain

Distance 60000 miles Months 60 months

Corrosion Perforation

Distance Unlimited miles Months 60 months

Roadside Assistance

Distance 60000 miles Months 60 months